



CERTIFICATE

No. FUR BSC 21-37

23 June 2021

Vilnius

Issued to **UAB NARBUTAS INTERNATIONAL**

Address **Ukmergės g. 308, LT-12110 Vilnius, Lithuania**

Product name **Office furniture. Storage furniture CHOICE, CHOICE Lockers, NOVA, NOVA BASIC, NOVA LINE, UNI, UNI PLUS, UNI SLIDE, PLANA**
The list is given in Annex A

Manufacturer (name) **UAB NARBUTAS INTERNATIONAL**

Manufacturer address **Ukmergės g. 308, LT-12110 Vilnius, Lithuania**

Performance **LST CEN/TR 14073-1:2004
LST EN 14073-2:2004
LST EN 14073-3:2004
LST EN 14074:2004**

Certification has been made according to the certification scheme 1b.

Certificate has been issued according to the PE FURNITEST Furniture testing centre testing reports No. BBC 21-173, No. BBC 21-175, No. BBC 21-176, No. BBC 21-177, No. BBC 21-178,

dated June 23, 2021

The certificate is valid till 23 June 2023

List of valid certificates: www.furnitest.com/furniture-certification

Director

Jadvyga Mickienė







ANNEX A

Storage furniture CHOICE, CHOICE Lockers, NOVA, NOVA BASIC, NOVA LINE, UNI, UNI PLUS, UNI

CHOICE								
Description	Dimensions, mm		Product					
			1H 370mm	2H 720mm	3H 1075mm	4H 1425mm	5H 1780mm	6H 2130mm
	Wide	Depth						
Bookcase. Carcass made from 18 mm thickness finished particle board. Fixed shelves, made from 18 mm thickness finished particle board (load capacity - 25 kg/shelf).	800	400	C1N080	C2N080	C3N080	C4N080	C5N080	C6N080
	800	400	C1N081	C2N081	C3N081	-	-	-
	1000	400	C1N100	C2N100	C3N100	C4N100	C5N100	C6N100
	1200	400	-	-	-	C4N120	C5N120	C6N120
	1200	400	C1N120	C2N120	C3N120	-	-	-
Cabinet with sliding doord. Carcass made from 18 mm thickness finished particle board. Single line plastic (ABS) runners for sliding doors.	800	400	C1S080	-	-	-	-	-
	1200	400	C1S120	-	-	-	-	-
	1600	400	C1S160	-	-	-	-	-
Cabinet with sliding doors. Carcass made from 18 mm thickness finished particle board. Plastic (ABS) runners for sliding doors. Shelves made from 18 mm thickness finished particle boards (load capacity 25 kg/shelf). Cylinder lock.	800	420	-	C2S080	C3S080	-	-	-
	1000	400	-	C2S100	C3S100	-	-	-
	1200	400	-	C2S120	C3S120	C4S120	C5S120	-
	1600	400	-	C2S160	C3S160	C4S160	-	-
Wardrobe with sliding doors. Carcass and doors are made from 18 mm thickness finished particle board. Plastic (ABS) runners for sliding doors. Shelves made from 18 mm thickness finished particle boards (load capacity 25 kg / shelf). Cylinder lock.	1200	400	-	-	-	C4S121	C5S121	-
Wardrobe. Carcass made from 18 mm thickness finished particle board. Hinged doors with finished particle board. Shelves made from 18 mm thickness finished particle boards (load capacity 25 kg/shelf). Cylinder lock	800	420	-	-	-	C4C082	C5C082	-
Cabinet. Carcass and doors are made from 18 mm finished particle board. Hinged doors, with cylinder lock. Shelves are made from 18 mm finished particle board (fixed or removable) - single shelf load capacity - 25 kg.	800	420	-	C2C080	C3C080	C4C080	C5C080	C6C080
	1000	400	-	C2C100	C3C100	C4C100	C5C100	C6C100
	800	420	-	C2C081	C3C081	C4C081	C5C081	C6C081
Cabinet. Carcass and doors are made from 18 mm finished particle board. Hinged doors, with cylinder lock. Shelves are made from 25 mm finished particle board (fixed or removable) - single shelf load capacity - 32 kg.	1000	400	-	C2C101	C3C101	C4C101	C5C101	C6C101
Cabinet with acoustic doors. Carcass and door are made from 18 mm finished particle board. Hinged doors. Cylinder lock. Shelves are made from 18 mm finished particle board (fixed or removable) - single shelf load capacity - 25 kg.	800	420	-	-	C3C082	-	-	-
	800	420	-	-	C3C083	-	-	-
Cabinet with doors and bookcase. Carcass and doors are made from 18 mm finished particle board. Hinged doors, with cylinder lock. Middle shelf is fixed, others removable. Shelves are made from 18 mm thickness finished particle board, single shelf load capacity - 25 kg.	800	420	-	C2H080	C3H080	C4H080	C5H080	C6H080
Available bases:								
Description	Dimensions, mm			Product				
	Wide	Depth	Height					
Plinth. Made from mm thickness finished particle board. Plastic height levelling feets (+10 mm)	800	400	80	C0Z080				
	1000	400	80	C0Z100				
	1200	400	80	C0Z120				
	1600	400	80	C0Z160				
Metal plinth. Made from welded metal tube, 40x20x1,5 mm. Plastic height levelling feets (+10 mm)	800	400	40	C0Z081				
	1000	400	40	C0Z101				
	1200	400	40	C0Z121				
	1600	400	40	C0Z161				
Metal legs. Legs are made from 20x20x1,5 mm square tube, reinforced with 30x20x1,5 rectangular tube frame (welded). Additional support for 1200-1600 mm wide cabinets.	800 - 1000	150	80	C0Z003				
	1200 - 1600	150	80	C0Z004				
Metal frame with legs. Frame and legs are welded from 20x20x1,5 mm square tube. Plastic height levelling feets (+10 mm)	800	400	150	C0Z082				
	1000	400	150	C0Z102				
	1200	400	150	C0Z122				
	1600	400	150	C0Z162				
Plastic height levelling legs (+10mm)	800 - 1000	Ø50	17	C0Z001				
	1200 - 1600	Ø50	17	C0Z002				
Natural ash solid wood legs. Variable cross section (22x22-50x40 mm). Legs reinforced with 50x30 mm transversal parts. Additional support for 1200-1600 mm wide cabinets	800 - 1000	160	150	C0Z005				
	1200 - 1600	160	150	C0Z006				
Plastic castors, Ø80 mm. Two castors with stopper brakes. Load capacity - 100kg per castor. Only for 800mm wide cabinets, not higher than 3 shelves level.	800	Ø80	90	X0Z006				
	1000 - 1600	Ø80	90	X0Z007				

Optional components:					
Description	Quantity	Dimensions, mm			Product
		Wide	Depth	Height	
Shelf, made from 18 mm thickness finished particle board. Single shelf load capacity - 25 kg.	x1	764	379	18	C0Z026
	x1	764	379	18	C0Z034
	x2	764	379	18	C0Z027
	x2	764	379	18	C0Z028
	x3	764	379	18	C0Z029
Shelf, made from 25 mm thickness finished particle board. Single shelf load capacity - 32 kg.	x1	964	379	25	C0Z030
	x1	964	379	25	C0Z034
	x2	964	379	25	C0Z031
	x2	964	379	25	C0Z032
	x3	964	379	25	C0Z033
Shelf with section dividers. Shelf made from 18 mm thickness finished particle board. Single shelf load capacity - 25 kg. Dividers are made from Ø5 mm tube.	x1	764	379	18	C0Z036
Shelf with section dividers. Shelf made from 25 mm thickness finished particle board. Single shelf load capacity - 32 kg. Dividers are made from Ø5 mm tube.	x1	964	379	25	C0Z037
Lateral filing metal shelf. Made of sheet metal, 1 mm thickness. Single shelf load capacity - 40 kg.	x1	764	378	28	C0Z038
	x1	964	378	28	C0Z039
	x1	373	326	28	C0Z040
	x1	473	326	28	C0Z041
	x1	573	326	28	C0Z042
	x1	773	326	28	C0Z043
Pull out black metal filing cradle (suitable for A4 or foolscap filing). Full extension, with anti-tilt function. Frame welded from metal sheets. Ball bearing slide, load capacity 50 kg.*	x1	762	350	95	C0Z044
	x1	962	350	95	C0Z045
	x2	762	350	95	C0Z046
	x2	962	350	95	C0Z047
Metal counterweight, mounted under the bottom of the cabinet (10 kg).	x2	410	190	8	X0Z020
MFC counterweight, mounted inside the cabinet, on the back panel. Made from finished particle board, 25 mm thickness (8 kg).	x2	764	333	25	X0Z021
	x2	964	326	25	X0Z022

*Not suitable for cabinets with sliding doors

CHOICE Lockers								
Description	Dimensions, mm		Height					
			2H 917 mm		3H 1367 mm		4H 1817 mm	
	Wide	Depth	Plane	Mail cutt-out	Plane	Mail cutt-out	Plane	Mail cutt-out
Locker with 2/3/4 doors. Carcass and shelves are made from 18 mm thickness finished particle board. Fixed shelves. Hinged doors (107° angle), hinges with soft close function. Selected type locks.	450	500	C2C090	C2C092	C3C130	C3C132	C4C180	C4C184
Locker with 1/2 large doors. Carcass and shelves are made from 18 mm thickness finished particle board. Fixed shelves. Hinged doors (107° angle), hinges with soft close function. Selected type locks.	450	500	C2C091	C2C093	-	-	C4C181	C4C185
Locker with 1 large and 1 small doors. Carcass and shelves are made from 18 mm thickness finished particle board. Fixed shelves. Hinged doors (107° angle), hinges with soft close function. Selected type locks.	450	500	-	-	C3C131	C3C133	-	-
Locker with 1 large and 2 small doors. Carcass and shelves are made from 18 mm thickness finished particle board. Fixed shelves. Hinged doors (107° angle), hinges with soft close function. Selected type locks.	450	500	Option:					
			4H 1817 mm		Large-Small-Small		Small-Small-Large	
			C4C182	C4C186	C4C183	C4C187		
Lock range:								
	Cylinder lock with retention (AP)							
	Combination lock (BP)							
	4G series electronic RFID lock for shared use (DS)							
	4G series electronic RFID lock for assigned use (DP)							
	4G series electronic KEYPAD lock for shared use (CS)							
	4G series electronic KEYPAD lock for assigned use (CP)							

NOVA NOVA BASIC										
Description	Dimensions, mm		Height							
	Wide	Depth	2H 740mm	3H 1085mm						
			DNE216	DNE320						
Cabinet with sliding doors. Carcass, doors and shelves are made from 18 mm thickness finished particle board. Fixed shelves. Metal handles. Plastic (ABS) runners. Plastic height levelling feet. Cylinder lock.	1440	400	DNE216	DNE320						
	1640	400	DNE210	DNE310						
Double cabinet with doors. Carcass and shelves are made from 18 mm thickness finished particle board. Fixed shelves. Handles are made from metal. Doors are made from 18 mm thickness finished particle board, metal hinges with soft close function. Plastic height levelling feet (17 mm height +10 mm). Cylinder lock.	1440	400	DNE214	DNE318						
	1640	400	DNE215	DNE319						
	Sizes:		2H 740mm		3H 1092mm		4H 1444mm		5H 1795mm	
	Lock:		-	+	-	+	-	+	-	+
Cabinet with doors. Carcass, doors and shelves are made from 18 mm thickness finished particle board. Fixed shelves. Metal handles. Metal hinges with soft close function. Plastic height levelling feet (17 mm height +10 mm). Cylinder lock.	800	360	DNE203	DNE213	DNE303	DNE317	DNE403	DNE411	DNE501	DNE503
Wardrobe with doors. Carcass, doors and shelves are made from 18 mm thickness finished particle board. Fixed shelves. Metal handles. Metal hinges with soft close function. Plastic height levelling feet.	800	360	DNE502	-	-	-	-	-	-	-
Bookcase. Carcass and shelves are made from 18 mm thickness finished particle board. Fixed shelves. Plastic height levelling feet (17 mm height +10 mm).	800	340	DNE209	-	DNE309	-	DNE409	-	-	-
Double-sided bookcase. Carcass and shelves are made from 18 mm thickness finished particle board. Fixed shelves. Plastic height levelling feet (17 mm height +10 mm).	1600	340	-	-	DNE305	-	-	-	-	-
Lockers:										
Storage with 6 or 8 lockable doors. Carcass shelves and doors are made from 18 mm thickness finished particle board. Fixed shelves. Handles are made from metal. Metal hinges with soft close function. Cylinder lock. Plastic height levelling feet.	800	360	-	-	-	DNE313	-	DNE410	-	-
NOVA LINE										
Cabinet with plexiglas insert. Carcass, doors and shelves are made from 18 mm thickness finished particle board. Metal handles. Metal hinges with soft close function. Plastic height levelling feet.	800	360	DNE202	-	DNE302	-	-	-	-	-
Bookcase with plexiglas insert. Carcass and shelves are made from 18 mm thickness finished particle board. Plastic height levelling feet.	1600	340	DNE206	-	DNE306	-	-	-	-	-

UNI								
Description	Dimensions, mm		Product					
			1H 370mm	2H 754mm	3H 1120mm	4H 1508mm	5H 1874mm	6H 2240mm
	Wide	Depth						
Wall mounted shelf. Carcass is made from 18 mm thickness finished particle board. Load capacity - 25 kg.	800	336	X1N081	-	-	-	-	-
Bookcase with shelves. Carcass made from 18 mm, top and bottom from 25 mm thickness finished particle board. Removable or fixed shelves (only 6H with single fixed shelf), made from finished particle board.	600	425	-	-	-	-	X5N061	X6N061
	800	425	-	X2N081	X3N081	X4N081	X5N081	X6N081
	1000	425	-	X2N101	X3N101	-	X5N101	X6N101
Bookcase with height adjustable shelves. Carcass made from 18 mm, top and bottom from 25 mm thickness finished particle board. Removable shelves, made from 25 mm finished particle board. Shelf load capacity - 32 kg.	1200	425	-	X2N121	-	-	X5N121	X6N121
Cabinet with doors and bookcase (left or right). Carcass made from 18 mm, top and bottom from 25 mm thickness finished particle board. Middle shelf is fixed, others removable. Shelves are made from finished particle board. Hinged doors, made from 18 mm thickness finished particle board. Cylinder lock.	600	425	-	-	-	-	X5H061	
	600	425	-	-	-	-	X5H062	
Cabinet with doors and bookcase. Carcass made from 18 mm, top and bottom from 25 mm thickness finished particle board. Middle shelf is fixed, others removable. Shelves are made from finished particle board. Hinged doors, made from 18 mm thickness finished particle board. Cylinder lock.	800	425	-	-	-	X4H081	X5H081	X6H081
Bookcase with cabinet for 2 file drawers. Carcass made from 18 mm, top and bottom from 25 mm thickness finished particle board. Middle shelf is fixed, others removable. Shelves are made from finished particle board, 18 mm thickness. File drawers for A4 and foolscap files. Full extension, central lock (cylinder type), with anti-tilt function. Drawers made from welded metal sheets, drawers front from 18 mm thickness finished particle board. Additional base required. Cabinet requires the counterweight X0Z008 or X0Z011.	800	425	-	-	-	-	X5F081	-
File cabinet with 2 file drawers. Carcass made from 18 mm, top and bottom from 25 mm thickness finished particle board. File drawers for A4 and foolscap files. Full extension, central lock (cylinder type), with anti-tilt function. Drawers made from welded metal sheets, drawers front from 18 mm thickness finished particle board. Additional base required.	800	425	-	X2F081	-	-	-	-
	1000	425	-	X2F101	-	-	-	-
Cabinet with doors. Carcass made from 18 mm, top and bottom from 25 mm thickness finished particle board. Removable shelves, made from 18 mm finished particle board. Shelves load capacity - 25 kg. Hinged doors, made from 18 mm thickness finished particle board. Cylinder lock. Additional base required.	600	425	-	-	-	-	X5C061	X6C061
	600	425	-	-	-	-	X5C062	X6C062
Wardrobe. Carcass made from 18 mm, top and bottom from 25 mm thickness finished particle board. Fixed shelf, made from 18 mm thickness finished particle board. Metal pull-out hanging rail. Cylinder lock. Additional base required. Cabinet requires the counterweight X0Z008 or X0Z010.	600	425	-	-	-	-	X5C063	-
	600	425	-	-	-	-	X5C064	-
Wall mounted shelf with doors. Carcass and doors is made from 18 mm thickness finished particle board. Hinged doors. Load capacity - 25 kg.	800	356	X1C081	-	-	-	-	-
Cabinet with doors. Carcass made from 18 mm, top and bottom from 25 mm thickness finished particle board. Removable shelves, made from finished particle board. Hinged doors, made from 18 mm thickness finished particle board. Cylinder lock. Additional base required.	800	425	-	X2C081	X3C081	X4C081	X5C081	-
	1000	425	-	X2C101	X3C101	-	X5C101	-
	1200	425	-	-	-	-	X5C121	-
Wardrobe. Carcass made from 18 mm, top and bottom from 25 mm thickness finished particle board. Fixed shelf, made from 18 mm thickness finished particle board. Cylinder lock. Additional base required.	800	425	-	-	-	-	X5C083	-
	800	600	-	-	-	-	X5C082	-
Cabinet with doors. Carcass made from 18 mm, top and bottom from 25 mm thickness finished particle board. Middle shelves are fixed, others removable. Shelves are made from finished particle board. Hinged doors, made from 18 mm thickness finished particle board. Cylinder lock.	800	425	-	-	-	-	-	X6C081
	1000	425	-	-	-	-	-	X6C101
	1200	425	-	-	-	-	-	X6C121
Cabinet with sliding doors. Carcass made from 18 mm, top and bottom from 25 mm thickness finished particle board. Sliding doors made from 18 mm thickness finished particle board, plastic (ABS) runners. Removable shelves, made from finished particle board. Additional base required.	1000	425	-	X2S101	X3S101	-	-	-
	1200	425	-	X2S121	X3S121	-	X5S121	-

Wardrobe with metal hanging rail for clothes and sliding doors (two sections). Carcass made from 18 mm, top and bottom from 25 mm thickness finished particle board. Sliding doors made from 18 mm thickness finished particle board, plastic (ABS) runners. Fixed shelf, made from finished particle board. Cylinder lock. Additional base required.	1200	600	-	-	-	-	X5S124	-
Wardrobe with pull-out hanging rail and cabinet. Carcass made from 18 mm, top and bottom from 25 mm thickness finished particle board. Fixed shelf in wardrobe section, removable shelves in cabinet section. Shelves made from finished particle board. Cylinder lock. Additional base required. Cabinet requires the counterweight X0Z009 or X0Z010.	1200	425	-	-	-	-	X5C122	-
Wardrobe with metal pull-out hanging rail, cabinet section with sliding doors. Carcass made from 18 mm, top and bottom from 25 mm thickness finished particle board. Sliding doors made from 18 mm thickness finished particle board, plastic (ABS) runners. Shelves made from finished particle board. Cylinder lock.	1200	425	-	-	-	-	X5S122	-
Wardrobe with metal pull-out hanging rails. Carcass and doors made from 18 mm, top and bottom from 25 mm thickness finished particle board. Fixed shelves, made from finished particle board, 18 mm thickness. Cylinder lock. Additional base required. Cabinet requires the counterweight X0Z009 -1 pcs. or X0Z010 - 2pcs.	1200	425	-	-	-	-	X5C123	-
Wardrobe with metal pull-out hanging rails and sliding doors. Carcass and doors made from 18 mm, top and bottom from 25 mm thickness finished particle board. Fixed shelves, made from finished particle board, 18 mm thickness. Cylinder lock.	1200	425	-	-	-	-	X5S123	-
Cabinet with glass doors. Carcass made from 18 mm, top and bottom from 25 mm thickness finished particle board. Middle shelf fixed, others removable. Shelves are made from finished particle board, 18 mm thickness. Hinged doors. Lower doors made from 18 mm finished particle board, with installed cylinder lock. Upper doors made from 5 mm thickness tempered glass.	800	425	-	-	-	-	X5G081	-
Cabinet with tambour doors (with lock) and height adjustable shelves. Carcass made from 18 mm, top and bottom from 25 mm thickness finished particle board. Removable shelves, made from finished particle board. Tambour type doors, made from plastic (ABS) profile, strips are glued to each other. Cylinder lock. Additional base required.	1000	425	-	X2T101	X3T101	-	-	-
Available bases:								
	Dimensions, mm						Product	
	Wide	Depth	Height					
Plinth. Plinth is made of from 18 mm thickness finished particle board. With plastic height levelling feets (+10 mm)	800	425	80				X0Z080	
	1200	425	80				X0Z120	
	600	425	80				X0Z060	
	800	600	80				X0Z081	
	1000	425	80				X0Z100	
	1200	600	80				X0Z121	
Metal legs (4 pcs.). Legs are made from 40x40x2 mm rectangular tube, welded to the supporting plate. Plastic height levelling feets.	600 - 1000	-	80				X0Z004	
Metal legs (4 pcs.) with center support. Legs are made from 40x40x2 mm rectangular tube, welded to the supporting plate. Plastic height levelling feets. For 1200 mm or wider cabinets.	1200	-	80				X0Z005	
Plastic height levelling legs (4 pcs.)	600 - 1000	-	23				X0Z013	
Plastic height levelling legs (5 pcs.). For 1200 mm or wider cabinets.	1200	-	23				X0Z014	
Plastic castors (4 pcs.), Ø80 mm. Two castors with stopper brakes. Load capacity - 100kg per castor. Only for 800mm wide cabinets, not higher than 3 shelves level.	800	-	90				X0Z006	
Plastic castors (5 pcs.), Ø80 mm. Two castors with stopper brakes. Load capacity - 100kg per castor. For 1000-1600 mm wide cabinets, not higher than 3 shelves level.	1000 - 1600	-	90				X0Z007	
Additional accessories:								
Metal counterweight (10 kg) for cabinets with metal or plastic legs (600-1000 mm wide).	410	190	8				X0Z008	
Metal counterweight (12 kg) for cabinets with metal or plastic legs, 1200 mm wide.	330	330	8				X0Z009	
Counterweight (8,4 kg) for cabinets with plinth	480	300	25				X0Z010	
Counterweight (10 kg) for cabinet X5F081 with plinth	720	346	25				X0Z011	

UNI PLUS							
Description	Dimensions, mm		2H 754mm	3H 1120mm	4H 1508mm	5H 1874mm	
	Wide	Depth					
Bookcase. Carcass made from 18 mm, top and bottom from 25 mm thickness finished particle board.	1000	475	U2N100	U3N100	U4N100*	U5N100*	
Cabinet with doors. Carcass made from 18 mm, top and bottom from 25 mm thickness finished particle board. Hinged doors, made from 18 mm thickness finished particle board. Cylinder lock.	1000	475	U2C100	U3C100	U4C100*	U5C100*	
Cabinet with tambour doors and cylinder lock. Carcass made from 18 mm, top and bottom from 25 mm thickness finished particle board. Doors made from plastic (ABS) profile, strips are glued to each other.	1000	475	U2T101	U3T101	U4T101*	U5T101*	
*To ensure stability, U0Z013 must be installed							
			2H (700mm)	-	-	-	
Cabinet with tambour doors, cylinder lock and 1 height adjustable shelf. Carcass made from 18 mm, top and bottom from 25 mm thickness finished particle board. Removable shelves, made from 25 mm finished particle board. Shelf load capacity - 32 kg. Doors made from plastic (ABS) profile, strips are glued to each other.	800	475	U2T080	-	-	-	
Bookcase with 1 height adjustable shelf. Carcass made from 18 mm, top and bottom from 25 mm thickness finished particle board. Removable shelves, made from 25 mm finished particle board. Shelf load capacity - 32 kg. Additional base required.	800	475	U2N080	-	-	-	
Cabinet with doors and 1 height adjustable shelf. Carcass made from 18 mm, top and bottom from 25 mm thickness finished particle board. Hinged doors, made from 18 mm thickness finished particle board. Removable shelves, made from 25 mm finished particle board. Shelf load capacity - 32 kg. Cylinder lock. Additional base required.	800	475	U2C080	-	-	-	
Available bases:							
Description	Dimensions, mm			Product			
	Wide	Depth	Height				
Plinth for 1000 mm wide cabinets. Plinth is made of from mm thickness finished particle board. With plastic height levelling feet.	1000	475	80	X0Z101			
Metal legs (4 pcs.). Legs are made from 40x40x2 mm rectangular tube, welded to the supporting plate. Plastic height levelling feet.	600 - 1000	475	80	X0Z004			
Plastic height levelling legs (4 pcs.), for 600 - 1000 mm wide cabinets	600 - 1000	475	23	X0Z013			
Plastic height levelling legs (4 pcs.), for 600 - 1000 mm wide cabinets	600 - 1000	475	38	X0Z015			
Plastic castors (4 pcs.), Ø80 mm. Two castors with stopper brakes. Load capacity - 100kg per castor. Only for 800mm wide cabinets, not higher than 3 shelves level.	800	475	90	X0Z006			
Additional accessories:							
Description	Option		Dimensions, mm			Quantity	
	Basic cabinets	Tambour doors	Wide	Depth	Height	x1	x2
Removable shelf for 475 mm depth cabinets. Shelf is made from 25 mm thickness finished particle board. Load capacity - 32 kg.		+	842	410	25	U0Z001	U0Z002
Fixed shelf for 475 mm depth cabinets. Shelf is made from 25 mm thickness finished particle board. Load capacity - 32 kg.	+		962	410	25	U0Z010	U0Z011
		+	842	410	25	U0Z012	
Lateral filing shelf (removable, suitable for A4 or foolscap filing) for 475 mm depth cabinets. Shelf made from 25 mm thickness finished particle board. Load capacity - 32 kg.			962	410	25	U0Z013	
			842	410	25	U0Z003	
Shelf with 5 chromed dividers for 475 mm depth cabinets. Shelf made from 25 mm thickness finished particle board. Load capacity - 32 kg.			962	410	57	U0Z014	
		+	842	410	25	U0Z008	
Pull out black metal filing cradle (suitable for A4 or foolscap filing) for 475 mm depth cabinets. Full extension. Frame welded from metal sheets. Ball bearing slide, load capacity 50 kg.	+		962	410	25	U0Z015	
		+	842	350	95	U0Z004	
Pull out black metal filing cradle with anti-tilt (suitable for A4 or foolscap filing) (2 pcs.) for 475 mm depth cabinets. Full extension, with anti-tilt function. Frame welded from metal sheets. Ball bearing slide, load capacity 50 kg.	+		962	350	95	U0Z016	
		+	842	350	95	U0Z005	
Pull out black metal filing cradle with anti-tilt (suitable for A4 or foolscap filing) (3 pcs.) for 475 mm depth cabinets. Full extension, with anti-tilt function. Frame welded from metal sheets. Ball bearing slide, load capacity 50 kg.	+		962	350	95	U0Z017	
		+	842	350	95	U0Z006	
Lateral filing cradle (suitable for A4 or foolscap filing) for 475 mm depth cabinets		+	962	350	95	U0Z018	
	+		842	410	32	U0Z007	
Metal counterweight (10 kg) for cabinets with metal or plastic legs (600-1000 mm wide).				410	32	U0Z019	
				410	32	U0Z019	
Metal counterweight (12 kg) for cabinets with metal or plastic legs, 1200 mm wide.			410	190	8	X0Z008	
Counterweight (8,4 kg) for cabinets with plinth			330	330	8	X0Z009	
Counterweight (10 kg) for cabinet X5F081 with plinth			480	300	25	X0Z010	
			720	346	25	X0Z011	

UNI SLIDE				
Description	Dimensions, mm		Height	
	Wide	Depth	2H	3H
			754mm	1120mm
Cabinet with sliding doors. Carcass and shelves are made from 18 mm thickness finished particle board. Height adjustable shelves (removable). Shelves load capacity - 25 kg. Handles are made from 60 mm wide metal profile, length matches the door height. Sliding doors made from 18 mm thickness finished particle board, plastic (ABS) runners. Cylinder lock.	800	425	X2S082	X3S082
	1200	425	X2S122	X3S122
Available bases:				
Option:	Dimensions, mm			Product
	Wide	Depth	Height	
Plinth. Plinth is made of from 18 mm thickness finished particle board. With plastic height levelling feet.	800	425	80	X0Z080
	1200	425	80	X0Z120
Metal legs (4 pcs.). Legs are made from 40x40x2 mm rectangular tube, welded to the supporting plate. Plastic height levelling feet.	600 - 1000*	-	80	X0Z004
Metal legs (4 pcs.) with center support. Legs are made from 40x40x2 mm rectangular tube, welded to the supporting plate. Plastic height levelling feet. For 1200 mm or wider cabinets.	1200*	-	80	X0Z005
Plastic height levelling legs.	600 - 1000*	-	23	
Plastic height levelling legs (5 pcs., +10mm). For 1200 mm or wider cabinets.	1200*	-	23	X0Z014
Plastic castors (4 pcs.), Ø80 mm. Two castors with stopper brakes. Load capacity - 100kg per castor. Only for 800mm wide cabinets, not higher than 3 shelves level.	800*	-	90	X0Z006
Plastic castors (5 pcs.), Ø80 mm. Two castors with stopper brakes. Load capacity - 100kg per castor. For 1000-1600 mm wide cabinets, not higher than 3 shelves level.	1000-1600*	-	90	X0Z007
*Cabinet wide, mm				

PLANA					
Description	Dimensions, mm		Height		
	Wide	Depth	2H	3H	5H
			814mm	1190mm	1942mm
Bookcase. Carcass is made from 18 mm thickness finished particle board. Fixed shelves, made from 25 mm finished particle board. Plastic height levelling feet.	900	400	BPE090	BPE091	BPE092
Cabinet with doors. Carcass is made from 18 mm thickness finished particle board. Fixed shelves, made from 25 mm finished particle board. Doors with no handles (opening via doors enlargement or push to open function). Different thickness doors (18 and 25 mm), made from finished particle board, metal hinges. Plastic height levelling feet.	900	425	BPE093	BPE094	BPE095*
Wardrobe with doors, metal pull-out hanging rail, one shelf on the left and 4 shelves on the right. Carcass is made from 18 mm thickness finished particle board. Fixed shelves, made from 25 mm finished particle board. Doors with no handles (opening via push to open function). Different thickness doors (18 and 25 mm), made from finished particle board, metal hinges. Plastic height levelling feet.	900	425	-	-	BPE096*
*Doors with <i>Push to open</i> function					